



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Biopesticides and Pollution Prevention Division (7511P)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. Number:

67727-7

Date of Issuance:

4/29/2015

NOTICE OF PESTICIDE:

Registration
 Reregistration
 (under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

1,4Zap®

Name and Address of Registrant (include ZIP Code):

D-I-1-4, Inc., a division of 1,4Group, Inc.
 P.O. Box 860
 Meridian, ID 83680

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any correspondence on this product, always refer to the above EPA Registration Number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA or the Act).

Registration is in no way to be construed as an endorsement or recommendation of this product by the U.S. Environmental Protection Agency (EPA). In order to protect health and the environment, the Administrator, on his or her motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under the Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration or registration review of your product when the EPA requires all registrants of similar products to submit such data.
2. Submit storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) data as these data requirements are not satisfied. A one-year study is required to satisfy these data requirements. You have 18 months from the date of this registration to provide these data to the EPA.

Signature of Approving Official:

Andrew Bryceland, Team Leader
 Biochemical Pesticides Branch
 Biopesticides and Pollution Prevention Division (7511P)
 Office of Pesticide Programs

Date:

4/29/2015

3. Make the following labeling change before you release this product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 67727-7."
4. Submit one (1) copy of the final printed labeling for the record before you release this product for shipment.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA-approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

Your release for shipment of this product constitutes acceptance of these terms. If these terms are not complied with, this registration will be subject to cancellation in accordance with FIFRA section 6. A stamped copy of the labeling is enclosed for your records. Please also note that the record for this product currently contains the following acceptable Confidential Statement of Formula (CSF):

- Basic CSF dated 07/19/2013

Any CSFs other than that which is listed above are superseded.

If you have any questions, please contact Gina Burnett of my team by phone at (703) 605-0513 or via email at burnett.gina@epa.gov.

Sincerely,




Andrew Bryceland, Team Leader
Biochemical Pesticides Branch
Biopesticides and Pollution
Prevention Division (7511P)
Office of Pesticide Programs

Enclosure

1,4Zap®

Aerosol Grade – (Potato) (Root, Tuber and Bulb (Crop)) Sprout Eliminator

Active Ingredient: 1-Octanol*..... 99.0%
Other Ingredients: 1.0%
Total: 100.0%
*Contains 6.8 lbs. active ingredient per gallon



**KEEP OUT OF REACH OF CHILDREN
CAUTION**

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals – CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wear coveralls over long-sleeved shirt, long pants, shoes, socks, and protective eyewear (goggles or face shield). Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

Environmental Hazards: Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

FIRST AID	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
If in eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
EMERGENCY INFORMATION	
For spill, leak, fire, exposure or accident call PERS 1-800-633-8253.	

Net Contents: _____

EPA Reg. Number: (pending as File Symbol 67727-T)

(Lot No./Batch No.: _____)

EPA Est. Number: XXXXX-XXX-XXX

Manufactured for:

D-I-1-4, Inc., a division of 1,4GROUP, Inc.
P.O. Box 860
Meridian, ID 83680 USA

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOTICE

- 1,4Zap® is used as an aerosol to eliminate peeps and sprouts and to enhance the dormancy of potatoes (and other root and tuber crops, bulb crops, and ornamental flowering bulbs) during the storage phase.
- Applicators and other handlers must wear: coveralls over long-sleeved shirt, long pants, shoes, socks, and protective eyewear (goggles or face shield).
- For reentry into treated areas during application and prior to ventilation or settling of aerosol fog, workers must wear: coveralls over long-sleeved shirt, long pants, shoes plus socks, and chemical resistant (such as nitrile or butyl) gloves; face-sealing goggles, unless a full-face respirator is worn; and a respirator with an organic vapor-removing cartridge with a pre-filter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G) or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R, P, or HE prefilter.
- 1,4Zap® must not be applied to potatoes (or other root and tuber crops, bulb crops, or ornamental flowering bulbs) in the field. Apply only from the outside of the treated storage areas.
- 1,4Zap® may be applied anytime after the potatoes (or other root and tuber crops, bulb crops, or ornamental flowering bulbs) are placed into the storage area.
- 1,4Zap® is a short term dormancy enhancer which should not adversely affect eventual germination of seed potatoes (or other crops) held for future planting.
- Let 60 days elapse before using a treated storage area as a temporary holding area for seed potatoes (or other sprouting root, tuber and bulb crops). Air system components (including ducts) and building must be thoroughly ventilated before area is used for storage of seed potatoes (or other sprouting root, tuber and bulb crops) to prevent dormancy effects.
- Do not allow vapors to come in contact with storage areas used for seed potatoes (or other sprouting root, tuber and bulb crops) within 30 days of their planting.

(CROPS)

(1,4Zap® is effective on the following sprouting root and tuber crops:

Beet	Horseradish
Carrot	Parsnip
Cassava	Potato
Dasheen (taro)	Sweet potato
Ginger	Turnip
Ginseng	Yam)

(1,4Zap® is effective on the following sprouting bulb crops:

Garlic	Onion
Leek	Shallot)

(1,4Zap® is effective on the following sprouting ornamentals: Flowering bulbs)

FORCED AIR DISTRIBUTION METHOD

1. Prepare aerosol generating equipment. The discharge from the vaporizer should be located to provide optimum distribution in the storage area. Take precautions to prevent the spray from coming into direct contact with the potatoes (or other root and tuber crops, bulb crops, or ornamental flowering bulbs).
2. Running fans during the application may aid disbursement of vapors, but it is not required.
3. It is advantageous to keep the storage area closed as long as practical to allow for maximum absorption into the potatoes (or other root and tuber crops, bulb crops, or ornamental flowering bulbs).

TREATMENT OF STORAGE AREAS THAT DO NOT HAVE RECIRCULATING AIR SYSTEMS

These storage areas are more difficult to treat. Additional steps must be taken to treat these storage areas.

1. Prepare aerosol generating equipment. The discharge from the vaporizer should be located to provide optimum distribution in the storage area. Take precautions to prevent the spray from coming into direct contact with the potatoes (or other root and tuber crops, bulb crops, or ornamental flowering bulbs).
2. Completely close off the area to be treated. This may include vent doors in the attic and walk doors around the perimeter. The large truck doors may need to be sealed to prevent excess leakage.
3. Begin the treatment by following the listed steps:
 - A. Start the aerosol generator.
 - B. Adjust the location of the vaporizer so all the storage area receives an equal amount of aerosol fog. It may be necessary to move the vaporizer during the application or make the application in multiple phases. For reentry into treated areas during application and prior to ventilation or settling of the aerosol fog, workers must wear: coveralls over long-sleeved shirt, long pants, shoes plus socks, and chemical resistant (such as nitrile or butyl) gloves; face-sealing goggles, unless a full-face respirator is worn; and a respirator with an organic vapor-removing cartridge with a pre-filter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G) or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R, P, or HE prefilter.
4. For best results wait at least 48 hours before fresh air is introduced into the storage area, then return the storage area to "normal" operation.
5. It is advantageous to keep the storage area closed as long as practical to allow for maximum absorption into the potatoes (or other root and tuber crops, bulb crops, or ornamental flowering bulbs).

TREATMENT IN SMALL CONTAINERS

1. Prepare the application equipment. The discharge from the applicator should be located to provide optimum placement in the storage area. Take precautions to prevent the spray from coming into direct contact with the potatoes (or other root and tuber crops, bulb crops, or ornamental flowering bulbs).
2. It is advantageous to keep the storage area closed as long as practical to allow for maximum absorption into the potatoes (or other root and tuber crops, bulb crops, or ornamental flowering bulbs).

APPLICATION TIMING AND RATES

Application of 1,4Zap® can be made any time after the potatoes (or other root and tuber crops, bulb crops, or ornamental flowering bulbs) are placed in the storage area.

Apply at rates of up to 10 pounds of active ingredient per 50,000 lbs (500 cwt), which is equivalent to 200 ppm on a product to potato (crop) basis.

While potatoes may be retreated as necessary for effective control, do not exceed the maximum application of 800 ppm during the storage season.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE

Keep container closed. This product temporarily inhibits germination of potatoes (and other root, tuber and bulb crops).

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING

Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration. Do not burn, unless allowed by state and local ordinances.

CONDITIONS OF SALE

1,4GROUP, Inc. warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to manufacturer, and buyer assumes the risk for any such use. To the extent consistent with applicable law, 1,4GROUP, Inc. makes no other warranties, express or implied, including the implied warranty of merchantability or the implied warranty of fitness for a particular purpose, that extend beyond the statements made on this label. To the extent consistent with applicable law, 1,4GROUP, Inc. disclaims any liability whatsoever for punitive, special, incidental or consequential damages resulting from the use or handling of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability, or otherwise, shall not exceed the purchase price paid or at 1,4GROUP, Inc.'s election, replacement of the product.

Optional Label Claims:

Application timing and rates optional conversion information:

1 cwt. = 100 lbs = 2.5 cubic feet; 1 ton = 20 cwt.
--

Product benefits:

- Biochemical delays sprouting, so smaller (buds) (sprouts) on (potatoes) (root and tuber crops) (bulb crops) (and) (ornamental flowering bulbs) (and other sprouting crops).
- Reduces respiration, resulting in less water loss.
- Reduces refrigeration and ventilation needs.
- Reduces pressure bruising.
- Firmer (potatoes) (onions) (bulbs) with improved visual appearance.
- Increases potatoes (crops) natural resistance to pathogens.
- Enhance turgidity and sprout desiccation.